ARMORED 2021 TOYOTA 4RUNNER 4X4 TRD



AGAINST 7.62 x 39mm, 5.56 x 45mm, 7.62 x 51mm





ALPINE ARMORING INC.

2

protects you better."

VEHICLE SPECIFICATIONS

BASE CHASSIS SPECIFICATIONS

		ACTION AND THE REPORT OF A STATE					
MAKE:		Toyota					
MODEL:		4Runner 4x4 TRD V6					
YEAR:		2021					
ENGINE:		4.0L DOHC 24-Valve V6					
POWER:		270 hp & 278 Torque LB-FT					
TRANSMIS	SSION:	5-Speed W/ECT-1 Automati					
TIRES:		22 in (W/Run-Flat System)					
COLOR:		Lunar Rock Solid Black					
INTERIOR		Black TRD PRO package					
SEATING:		2 + 2 + 3					
APPROX.	WEIGHT:	6,630 lbs. (3,007 kg)					







* Tel:+1.703.471.0002 * Fax:+1.703.471.0202 * www.alpineco.com * sales@alpineco.com *




ALPINE ARMORING INC

3

better

OPAQUE ARMOR DETAILS




* Tel: +1.703.471.0002 * Fax: +1.703.471.0202 * www.alpineco.com * sales@alpineco.com *



TRANSPARENT ARMOR DETAILS

4

rotects you better:



This image is property of Alpine Armoring

This image is property of Alpine Armoring

Glass Armor

Minimum 40 mm thick glass/polycarbonate composite A9/NIJ III transparent armor installed on the vehicle.

4-1

4-3

Anti-Spall Layer

a a a a a

R

Inner-most anti-spall layer prevents glass and bullet fragments from penetrating into passenger cabin area and is free of any optical distortion and discoloration. 4-2

Multi-Hit Protection

All windows are capable of sustaining multiple hits while providing protection to passengers.



ALPINE ARMORING

Customized Actuators

The front 2 windows are equipped with special customdesigned heavy duty actuator mechanism to allow for faster and quitter operation with maximum traveling distance. 4-4 Multi-layer Construction

ALCO C

40 mm






5

better

ADDITIONAL FEATURES





ALPINE ARMORING ING

6

better

ADDITIONAL FEATURES





The vehicle's braking system (rotors & pads) will be upgraded to accommodate the added armor weight.

Sunroof Delete

Following Items will be deleted upon completion:

6-5

6-7

6-8

Sunroof/Moonroof



te mare te vepere e chure-veuerne

Ballistic Door Overlap

Each door is equipped with ballistic steel overlap with added custom bullet-catchers wrapped in high quality leather or vinyl. 6-2

Upgrade Suspension

The vehicle's suspension (HD Coils) will be upgraded to accommodate the added armor weight, along with chassis reinforcement as deemed necessary. 6-6





OEM Appearance

The exterior of the vehicle with the VIP Armoring conversion will maintain the OEM appearance of the factory vehicle.

6-3

6-1

Rear Quarter Glass

The rear quarter panel of the vehicle is reinforced with ballistic glass.





P.A./Multi-Siren System

Located on the center console. The multi-siren features standard siren tones, volume adjustment, and a public address system. 6-4

Emergency Lights Package

Alpine will install flashing Red/Blue LED lights hidden in the front grille and wired to the PA controller.





COMPLETED VEHICLE PHOTOS: EXTERIOR

7

no one protects you better.









* Tel:+1.703.471.0002 * Fax:+1.703.471.0202 * www.alpineco.com * sales@alpineco.com *

COMPLETED VEHICLE PHOTOS: EXTERIOR

8

protects you better.

A

Alpine











COMPLETED VEHICLE PHOTOS: INTERIOR

9

no one protects you better.



ALPINE ARMORING'S BALLISTIC CHART

SPECS			LEVELS				BULLETS			"no one protects you better "		
WEAPONS	TYPE	CALIBER (mm)	CLASS	STANAG	UL	ALPINE	NIJ	CEN	MASS (9)	MATERIAL	VELOCITY	NUMBER OF SHOTS
	.38 Special	9 x 19	Handgun	-	1	A1	LILIIA	-	8.00	LCCI	358 M/S	
1 start	.357 Magnum	9 x 33	Handgun		2	A2	I.IIA	B1 & B3	10.20	92L	430 M/S	5 —
	.44 Magnum	11 x 33	Handgun	-	3	A3	IIIA	B4	15.60	LWC	440 M/S	, 💶
m	MP5	9 x 19	SMG	-	6	A4	IIIA	B2	8.00	100	427 M/S	;
	Shotgun	12 Gauge	Shotgun		3&4	Aa	IIIA	SG2	28.30	SLUG	503 M/S	3
1000	Tokarev	7.62 x 25	Handgun	-	-	A5	IIIA	-	5.50	LCSJ	488 M/S	
These	Kalashnikov (AK-47)	7.62 x 39	Assault Rifle	-	-	A6	Ш	B5	9.70	SCCJ	732 M/S	
- And	Kalashnikov (AK - 47 Military)	7.62 x 39 API BZ	Assault Rifle	П		A7	-	B5+	11.70	SCCI	774 m/s	
THE PARTY	M16/AR-15	5.56 x 45 NATO 55109 5.56 x 45 NATO Ball	Assault Rifle	I.	7	A8	IV	B5	4.00	SCCJ LCCJ	900 M/S 833 M/S	1
	Winchester .308	7.62 x 51	Rifle	I	7	A9		B6	10.90	ICCI	810 M/s	5
-	Remington 700 SPS	7 62 × 63 AP (.30-06)	High-Power Rifle		5 & 8	A10	IV	87-	10.80 8.40	AP	869 M/S 930 M/S	5
	Dragunov	7.62 x 54R B32 API	Sniper Rifle		-	A11	IV+	B7+	10.04	SCCJ	854 M/S	
	50 Cal	12.7 x 99	High-Power Rifle	IV	10	A12	-	-	45.00	CI	908 M/S	
T												
					5565558B							*****

- NIJ National Institute of Justice, 0108.01
- CEN European Standard
- STANAG ... NATO's Standard (STANAG 4569)
- ALPINE Alpine Armoring's Certified Standard
- LCCJ Lead Core Copper Jacke JSP Jacketed Soft Point LWC Lead Wad Cutter LCSJ Lead Core Steel Jacket
- SCCJ Steel Core Copper Jacket
- AP Armor Piercing SG Shotgun
- Shots (5) 11.4 cm Square Pattern (Corners & Center) Shots (3) 11.4 cm Triangular Pattern Velocity Minimum Measured Velocity NUJ Rating .. Levels I, II, IIA, & IIIA (based on 1 of 2 required calibers of ballistic threat)



10

no one protects you **better**

Armoring

ALPINE ARMORING INC

11

better

WARRANTY

ARMORED TOYOTA LAND CRUISER TRD

This vehicle, as proposed to the client in this quote, would be under Alpine Armoring's premium warranty covering all added armored parts and labor as well as all added accessories for one full year, effective the day of sale. Additional warranty for longer period is available upon request.

Alpine Armoring Inc. hereby honors this warranty in the United States and around the world against any and all related manufacturer's defects, including parts & labor.

MANAGEMENT AUTHORIZED

MANAGEMENT AUTHORIZED ALPINE ARMORING INC. CHANTILLY, VIRGINIA, USA DATE ISSUED