# ARMORED 2021 TOYOTA CAMRY TRD

NEW GENERATION BODY STYLE



LEVEL A9

AGAINST 7.62 x 39mm, 5.56 x 45mm, 7.62 x 51mm





#### **BASE CHASSIS SPECIFICATIONS**

MAKE: Toyota

MODEL: **Camry TRD** 

YEAR: 2021

**ENGINE:** 3.5L-V6 24-VALVE DOHC

**POWER:** 496 hp & 516 Torque LB-FT

TRANSMISSION: 8 - Speed Shift Automatic

TIRES: 19 in (W/Run-Flat System)

**COLOR:** Black

**INTERIOR:** Black Nappa Leather

**SEATING:** 2 + 3

APPROX. WEIGHT: 5,370 lbs. (2,435 kg)

HEIGHT: 56.3 in.

(143 cm)

WIDTH:

73.1in.

(185 cm)

LENGTH:

194.6 in.

(494 cm)

WHEELBASE:

112.6 in.

(282 cm)







#### **Firewall**

Ballistic steel or composite material firewall provides protection from explosion and different angle of attacks.

3-1



Roof is lined with ballistic steel or composite to protect against penetration at an angle and vehicle stability.





#### **Floor**

Floor is lined with ballistic steel or composite to protect against mines and grenade blasts.

3-3

#### **Doors**

All doors are made from ballistic steel or composite material.





This image is property of Alpine Armoria

# **Battery Protection**

Fully enclosed in serviceable ballistic steel casings.

3-5

#### **Rear VIP Protection**

Customized ballistic rear section completely made out of certified ballistic steel.





#### **Overlaps**

All doors and windows feature ballistic steel overlaps to keep shrapnel from angle shots from entering the cabin.

3-7

#### **Wheel Wells**

Front and rear wheel wells are lined with ballistic steel.





\* Tel: +1.703.471.0002 \* Fax: +1.703.471.0202 \* www.alpineco.com \* sales@alpineco.com \*



#### **Glass Armor**

Minimum 40 mm thick glass/polycarbonate composite A9/NIJ III transparent armor installed on the vehicle.

4-1



# **Anti-Spall Layer**

Inner-most anti-spall layer prevents glass and bullet fragments from penetrating into passenger cabin area and is free of any optical distortion and discoloration.



# **Multi-Hit Protection**


All windows are capable of sustaining multiple hits while providing protection to passengers.

4-3



### **Customized Actuators**

The front 2 windows are equipped with special customdesigned heavy duty actuator mechanism to allow for faster and quitter operation with maximum traveling distance.











# P.A./Multi-Siren System

Located on the center console. The multi-siren features standard siren tones, volume adjustment, and a public address system.

5-1

#### **Battery Protection**

The battery is encased in a ballistic steel box to protect it.



5-5



#### **Power Windows**

The front driver and passenger window are powered and lower approximately 4 - 6 inches.

5-2

## **Battery Kill Switch**

Battery kill Switch is used to shut off all power to the main battery if needed.

5-





#### **Rear VIP Protection**

Armored glass and ballistic steel all around the rear back seat.

5-3

#### **Fuel Tank Protection**

Fuel tank is protected by a ballistic steel box. Protects from two simultaneous grenades.

5-





#### **Run-Flat Inserts**

Vehicle will be equipped with full-size run-flat inserts in each tire.

5-4

# **Tailpipe Protection**

The tailpipe features a special mesh that prevents the tailpipe from being sabotaged.

5-8







# **Upgraded Braking**

The vehicle's braking system (rotors & pads) will be upgraded to accommodate the added armor weight.

6-1

#### WiFi/HotSpot/Sunroof Delete

Following Items will be deleted upon completion:

Sunroof/Moonroof





#### **Ballistic Door Overlap**

Each door is equipped with ballistic steel overlap with added custom bullet-catchers wrapped in high quality leather or vinyl.

6-2

# **Upgrade Suspension**

The vehicle's suspension (HD Coils) will be upgraded to accommodate the added armor weight, along with chassis reinforcement as deemed necessary.






# **OEM Appearance**

The exterior of the vehicle with the VIP Armoring conversion will maintain the OEM appearance of the factory vehicle.

6-3

#### **Heavy-Duty Door Straps**

Custom door straps that will help with the weight of the armored doors.





#### P.A./Multi-Siren System


Located on the center console. The multi-siren features standard siren tones, volume adjustment, and a public address system.

# **Emergency Lights Package**

Alpine will install flashing Red/Blue LED lights hidden in the front grille and wired to the PA controller.



















"no one protects you **better.**"



























# ALPINE ARMORING'S BALLISTIC CHART

A												"no one protects you better"
WEAPONS	SPECS			LEVELS					BULLETS			NUMBER OF SHOTS
The state of the s	ТҮРЕ	CALIBER (mm)	CLASS	STANAG	UL	ALPINE	NIJ	CEN	MASS (g)	MATERIAL	VELOCITY	Nomber of Shorts
	.38 Special	9 x 19	Handgun		1	A1	I.II.IIA	-	8.00	rcci	358 M/S	1
	.357 Magnum	9 x 33	Handgun	-	2	A2	LIIA	B1 & B3	10.20	JSP	430 M/S	<b>5</b>
	.44 Magnum	11 x 33	Handgun	-	3	<b>A3</b>	IIIA	B4	15.60	LWC	440 M/S	į <b>—</b>
1	MP5	9 x 19	SMG	-	6	A4	IIIA	B2	8.00	<u> [CC]</u>	427 M/S	
-	Shotgun	12 Gauge	Shotgun	-	3 & 4	Aa	IIIA	SG2	28.30	SLUG	503 M/S	3
	Tokarev	7.62 x 25	Handgun	-	-	A5	IIIA	-	5.50	LCSJ	488 M/S	,
-	Kalashnikov (AK-47)	7.62 x 39	Assault Rifle	-	-	A6	III	B5	9.70	SCCI	732 M/s	
- The same of the	Kalashnikov (AK-47 Military)	7.62 x 39 API BZ	Assault Rifle	II	-	A7	_	B5+	11.70	SCC1	774 M/s	
PRIT	M16/AR-15	5.56 x 45 NATO SS109 5.56 x 45 NATO Ball	Assault Rifle	1	7	A8	IV	B5	4.00	rcci 2cci	900 M/s 833 M/s	3
	Winchester .308	7.62 x 51	Rifle	1	7	A9	III	B6	10.90	rcci	810 M/S	1
	Remington: 700 SPS	7.62 x 63 AP (.30 - 06) 7.62 x 51 AP (WC core)	High-Power Rifle	III	5 & 8	A10	IV	B7-	10.80 8.40	AP	869 M/s 930 M/s	5
	Dragunov	7.62 x 54R B32 API	Sniper Rifle	111	-	A11	IV+	B7+	10.04	SCC1	854 M/S	
	.50 Cal	12.7 × 99	High-Power Rifle	IV	10	A12	-	-	45.00	CJ	2/M 806	
4	<u> </u>											



UL ...... Underwriters Laboratory, 752

NIJ ...... National Institute of Justice, 0108.01

CEN ..... European Standard

STANAG ... NATO's Standard (STANAG 4569)

ALPINE .... Alpine Armoring's Certified Standard

LCCJ ...... Lead Core Copper Jacket JSP ...... Jacketed Soft Point

LWC ...... Lead Wad Cutter

LCSJ ..... Lead Core Steel Jacket SCCJ ...... Steel Core Copper Jacket

AP ...... Armor Piercing

SG ..... Shotgun

Shots (5) .... 11.4 cm Square Pattern (Corners & Center)

Shots (3) .... 11.4 cm Triangular Pattern

Velocity ..... Minimum Measured Velocity

NIJ Rating .. Levels I, II, IIA, & IIIA (based on 1 of 2 required calibers of ballistic threat)







