### ARMORED 2020 TOYOTA LAND CRUISER VXR 4X4 200





AGAINST 7.62 x 39mm, 5.56 x 45mm, 7.62 x 51mm





### **BASE CHASSIS SPECIFICATIONS**

MAKE: Toyota

**MODEL:** Land Crusier VXR 200

YEAR: 2020

**ENGINE:** 5.7L V8

POWER: 232 hp @ 3,200 RPM

TRANSMISSION: 6-Speed Automatic

TIRES: 17 in (W/Run-Flat System)

COLOR: Black

INTERIOR: Gray / Tan Interior Leather

SEATING: 2 + 2 + 3

**APPROX. WEIGHT:** 9,170 lbs. (4,159 kg)

> HEIGHT: 75 in.

(190.5 cm)

WIDTH:

78 in.

(198.12 cm)

LENGTH: 200 in.

(508 cm)

WHEELBASE:

112 in.

(284 cm)







### **Firewall**

Ballistic steel or composite material firewall provides protection from explosion and different angle of attacks.

3-1



Roof is lined with ballistic steel or composite to protect against penetration at an angle and vehicle stability.





### Floor

Floor is lined with ballistic steel or composite to protect against mines and grenade blasts.

3-3

### **Doors**

All doors are made from ballistic steel or composite material.





### **Battery Protection**

Fully enclosed in serviceable ballistic steel casings.

3-5

3-7

### **Rear Partition Door**

Customized ballistic rear swinging partition door with viewing window installed. Manual interior release access for rear hatch included.

3-6





### **Overlaps**

All doors and windows feature ballistic steel overlaps to keep shrapnel from angle shots from entering the cabin.

### **Rear Quarter panel**

Right and left quarter panels are lined with ballistic steel...




\* Tel: +1.703.471.0002 \* Fax: +1.703.471.0202 \* www.alpineco.com \* sales@alpineco.com \*



### **Glass Armor**

Minimum 40 mm thick glass/polycarbonate composite A9/NIJ III transparent armor installed on the vehicle.

4-1



### **Anti-Spall Layer**

Inner-most anti-spall layer prevents glass and bullet fragments from penetrating into passenger cabin area and is free of any optical distortion and discoloration.



### **Multi-Hit Protection**


All windows are capable of sustaining multiple hits while providing protection to passengers.

4-3



### **Customized Actuators**

The front 2 windows are equipped with special customdesigned heavy duty actuator mechanism to allow for faster and quitter operation with maximum traveling distance.







### P.A./Multi-Siren System

Located on the driver dashboard side. The multi-siren features standard siren tones, volume adjustment, and a public address system.

5-1

### **Battery Protection**

The battery is encased in a ballistic steel box to protect it.



5-5



### **Power Windows**

The front driver and passenger window are powered and lower approximately 4 - 6 inches.

5-2



The fuse box is protected by a ballistic steel box.



5-6



### **Rear Door Partition**

Added center gunport and manual interior release access for rear hatch included.

5-3

### **Fuel Tank Protection**

Fuel tank is protected by a ballistic steel box. Protects from two simultaneous grenades.

5-





this image is properly of Alpine Armoria

### **Run-Flat Inserts**

Vehicle will be equipped with full-size run-flat inserts in each tire.

5-4

### **Tailpipe Protection**

The tailpipe features a special mesh that prevents the tailpipe from being sabotaged.

5-8





# This image is property of Alpine Armoring

### **Upgraded Braking**

The vehicle's braking system (rotors & pads) will be upgraded to accommodate the added armor weight.

6-1

### **Reinforced Door Straps**

To provide additional support on the weight of the armor door

This image is property of Alpine Armoring

6-5



### **Ballistic Door Overlap**

Each door is equipped with ballistic steel overlap with added custom bullet-catchers wrapped in high quality leather or vinyl.

6-2

### **Upgrade Suspension**

The vehicle's suspension (HD Coils) will be upgraded to accommodate the added armor weight, along with chassis reinforcement as deemed necessary.

6-6





### **OEM Appearance**

The exterior of the vehicle with the VIP Armoring conversion will maintain the OEM appearance of the factory vehicle.

6-3

### **Rear Quarter Glass**

The rear quarter panel of the vehicle is reinforced with ballistic glass.

6-7





### **Upgraded Hinges**

Equipped with state-of-theart Heavy-Duty (HD) hinges that have a built-in door stopper, preventing the use of retaining straps and door swing.

6-4

### **Emergency Lights Package**

Alpine will install flashing Red/Blue LED lights hidden in the front grille and wired to the PA controller.

3-8

















7-1

























"no one protects you **better.**"

# ALPINE ARMORING INC.

### ALPINE ARMORING'S BALLISTIC CHART

A											"no one protects you better"	
WEAPONS	SPECS			LEVELS				BULLETS			NUMBER OF SHOTS	
WEATONS	ТҮРЕ	CALIBER (mm)	CLASS	STANAG	UL	ALPINE	NIJ	CEN	MASS (g)	MATERIAL	VELOCITY	HOMBER OF SHOTS
	.38 Special	9 x 19	Handgun	-	1	A1	I.II.IIA	-	8.00	FCC1	358 M/S	-
	.357 Magnum	9 x 33	Handgun	-	2	A2	I.IIA	B1 & B3	10.20	JSP	430 M/S	5
	.44 Magnum	11 x 33	Handgun	-	3	<b>A3</b>	IIIA	B4	15.60	LWC	440 M/S	
177	MP5	9 x 19	SMG	-	6	A4	IIIA	B2	8.00	LCO	427 M/S	, <b>—</b>
	Shotgun	12 Gauge	Shotgun	-	3 & 4	Aa	IIIA	SG2	28.30	SLUG	503 M/S	3
	Tokarev	7.62 x 25	Handgun	-	-	A5	IIIA	-	5.50	rcs i	488 M/S	
-	Kalashnikov (AK-47)	7.62 x 39	Assault Rifle		-	A6	III	B5	9.70	2CC1	732 M/s	
-	Kalashnikov (AK -47 Military)	7.62 x 39 API BZ	Assault Rifle	11	-	A7	_	B5+	11.70	2001	774 M/s	
Part !	M16/AR-15	5.56 x 45 NATO SS109 5.56 x 45 NATO Ball	Assault Rifle	1	7	A8	IV	B5	4.00	rcci 2cci	900 M/S 833 M/S	3
	Winchester .308	7.62 x 51	Rifle	1	7	A9	III	B6	10.90	rcci	810 M/S	-
	Remington 700 SPS	742 × 63 AP (.30-06)	High-Power Rifle	III	5 & 8	A10	IV	B7-	10.80 8.40	AP	869 M/s 930 M/s	5
	Dragunov	7.62 x 54R B32 API	Sniper Rifle	111	-	A11	IV+	B7+	10.04	2001	854 M/s	
	,50 Cal	12.7 x 99	High-Power Rifle	IV	10	A12	_	-	45.00	CI	908 M/S	
	- 30											



UL ...... Underwriters Laboratory, 752

NIJ ...... National Institute of Justice, 0108.01

CEN ..... European Standard

STANAG ... NATO's Standard (STANAG 4569)

ALPINE .... Alpine Armoring's Certified Standard

LCCJ ...... Lead Core Copper Jacket

JSP ...... Jacketed Soft Point LWC ...... Lead Wad Cutter

LCSJ ..... Lead Core Steel Jacket

SCCJ ...... Steel Core Copper Jacket

AP ..... Armor Piercing

SG ..... Shotgun

Shots (5) .... 11.4 cm Square Pattern (Corners & Center)

Shots (3) .... 11.4 cm Triangular Pattern

Velocity ..... Minimum Measured Velocity

NIJ Rating .. Levels I, II, IIA, & IIIA (based on 1 of 2 required calibers of ballistic threat)







## 11



\* Tel: +1.703.471.0002 \* Fax: +1.703.471.0202 \* www.alpineco.com \* sales@alpineco.com \*